



CONE LANDER

ADVANCED PRE-ROLL CONE LOADER



CONE LANDER

72 PRE-ROLL CONES LOADED IN SECONDS

\$6,995

The Cone Lander can accelerate the process of pre-roll production by minimizing the time needed to manually load 72-count trays with empty cones. You can now load a tray of 72 pre-rolls in just seconds, with precise and swift placement for 84mm, 98mm, or 109mm tray sizes.

- Simple Push Button Operation
- Loads 72-Count Tray of Cones in Seconds
- Saves Time and Labor Costs
- Durable Stainless Steel & Aluminum Construction
- 1-Year Parts & Labor Warranty



INCLUDES:

1 YEAR WARRANTY



SCAN ME

CONE LANDER

COMPATIBLE CONES

109MM



King Size / 109 MM
Standard for $\pm 1g$

TRAY NAME "109 MM"

RANGE 1g

TOTAL LENGTH 109 MM

FILTER 26 \pm MM

TOP OPENING 12.5 \pm MM

98MM



98 Standard / 98 MM
Standard for $\pm .75g$

TRAY NAME "98 MM"

RANGE .5g - .7g

TOTAL LENGTH 83-98 MM

FILTER 20-30 \pm MM

TOP OPENING 11.8 MM

84MM



1-1/4" / 84 MM
Standard for $\pm .5$

TRAY NAME "84 MM"

RANGE .5g

TOTAL LENGTH 84 MM

FILTER 26 \pm MM

TOP OPENING 10-10.5 \pm MM



SCAN ME

*Cone Landers are size specific, you will need an additional cone lander for each different cone size.

THREE STEP LOADING PROCESS

STEP 1

Pull out the side drawer, and load full stacks of empty pre-rolled cones.

STEP 2

Place an empty STM 72-count tray into the drawer. Close the drawer and front door.

STEP 3

Select crutch size, push cycle button and wait 2 seconds for 72-cones to load.

