



# CONE LANDER

ADVANCED PRE-ROLL CONE LOADER



# CONE LANDER

72 PRE-ROLL CONES LOADED IN SECONDS

**\$6,995**

The Cone Lander can accelerate the process of pre-roll production by minimizing the time needed to manually load 72-count trays with empty cones. You can now load a tray of 72 pre-rolls in just seconds, with precise and swift placement for 84mm, 98mm, or 109mm tray sizes.

- Simple Push Button Operation
- Loads 72-Count Tray of Cones in Seconds
- Saves Time and Labor Costs
- Durable Stainless Steel & Aluminum Construction
- 1-Year Parts & Labor Warranty



## INCLUDES:

1 YEAR WARRANTY

SCAN HERE



# CONE LANDER

## COMPATIBLE CONES

**109MM**



**King Size / 109 MM**  
Standard for  $\pm 1g$

TRAY NAME "109 MM"

RANGE 1g

TOTAL LENGTH 109 MM

FILTER 26  $\pm$  MM

TOP OPENING 12.5  $\pm$  MM

**98MM**



**98 Standard / 98 MM**  
Standard for  $\pm .75g$

TRAY NAME "98 MM"

RANGE .5g - .7g

TOTAL LENGTH 83-98 MM

FILTER 20-30  $\pm$  MM

TOP OPENING 11.8 MM

**84MM**



**1-1/4" / 84 MM**  
Standard for  $\pm .5$

TRAY NAME "84 MM"

RANGE .5g

TOTAL LENGTH 84 MM

FILTER 26  $\pm$  MM

TOP OPENING 10-10.5  $\pm$  MM



SCAN ME

\*Cone Landers are size specific, you will need an additional cone lander for each different cone size.

# THREE STEP LOADING PROCESS

## STEP 1

Pull out the side drawer, and load full stacks of empty pre-rolled cones.

## STEP 2

Place an empty STM 72-count tray into the drawer. Close the drawer and front door.

## STEP 3

Select crutch size, push cycle button and wait 2 seconds for 72-cones to load.

